Contents of Volume 37 · 1996

Abbas YA: Synthesis and characterization of poly (2-acetoxymethyl-3,4-dihydro-2H-pyran) 143
Abetz V, Stadler R, Leibler L: Order-disorder- and order-order-transitions in AB and ABC block copolymers: description by a simple model 135
Ahn TO, Moon SW, Kim JH, Jeong HM: Miscibility of polyamide-6,6 with aromatic polyamides 361
Albert K → Bayer E
Alici B → Seçkin T
Andrzejewska E: Effect of the sulfide group on photopolymerization kinetics of di(meth)-acrylates 199
Aoki S, Morimoto Y: Effect of location of polymerizable double bond on the polymerization of micelle-forming monomers 777
Aravena M → Rabagliati FM
Argüelles-Monal W → Pérez-Gramatges A
Arias-Marín E, Romero J, Ledezma-Pérez A, Kniajansky S: Enzymatic mediated polymerization of functional aniline derivatives in nonaqueous media 581
Ayal HA → Rabagliati FM

Bartl A → Rapta P
Bayer E, Liu XN, Tallarek U, Ellwanger A, Albert K, Kutubuddin M: Polystyrene-immobilized poly(ethylene imine) chains – a new class of graft copolymers. I. Synthesis and characterization 565
Béguelin P → Gensler R
Belgacem NM → Khrouf A
Bertin D, Boutevin B: Controlled radical polymerization. Synthesis of chloromethyl styrene/styrene block copolymers 337
Bertorello H → Zamora M
Bonnetot B, Mongeot H, Razafindrakoto V: Catalytic curing agents. Decomposition of trihalo and triisothiocyanato borane adducts with tertiary amines in curing epoxy resins: towards an understanding of the mechanism of polymerization 655
Bouchal K → Ilavský M
Boufi S → Khrouf A
Boutevin B → Bertin D
Brito Sanches N de: The evaluation of castor oil effect on stress-cracking resistance of polyethylene sheets by means of a practical device 259
Brittain WJ → Moore CG
Bucio E, Canizal G, Burillo G, Miranda E, Tlenkopatchev MA, Ogawa T: Gamma-ray induced crosslinking of polynorbornene and its copolymer containing a stabilizing group 539
Burillo G → Bucio E
Butuc E → Hamciuc V

Camacho Gómez JA → Heinze T
Canessa GS → Rabagliati FM
Canizal G → Bucio E
Cantwell WJ → Lu F
Cárdenas T. G, González G. M: Metal polymers. XIII. Synthesis and molecular weights of metal poly(styrene-*co*-butyl methacrylate) 175
Castaño VM → Olivares M
Çetinkaya E → Seçkin T
Chan ASC → Liu J
Chatterjee SK, Dureja V, Nigam S: Interpolymer association between phenolic copolymers and polyelectrolytes: effects of copolymer structure and hydrophobic interactions on the stability of polycomplexes 265
Chen C-F → Chen Y-M
Chen L, Liu K, Yang C-Z: Preparation of ultrafine metal particles/polyurethane composites 377
Chen L-W → Wang C-H
Chen Y-M, Chen C-F, Liu W-H, Xi F: Synthesis of large building blocks for dendritic polyethers 557
Cheng H → Wang C
Choi M-G → Lee M
Choi S-K → Lim K-T
Chun BC → Park H-J
Coudane J → Schwach G
Coutinho FMB, Delpech MC, Moura PMQ, Mello SDS: Synthesis and molecular weight determination of urethane-based anionomers 1
Cuevas MV → Rabagliati FM

Delpech MC → Coutinho FMB
Deng H, Soga K: Isotactic polymerization of propylene with zirconocene catalysts in the presence of a Lewis base 29
Ding J, Feng J, Yang Y: Band-texture decorated spatial distribution of molecular orientation around air bubbles in hydroxypropyl cellulose aqueous solution 245
Ding L: Comb polymer electrolytes. Ionic conductivity and cation-polymer interaction 639
Dunsch L → Rapta, P
Duran N → Peralta-Zamora P
Dureja V → Chatterjee SK

El Gharbi R → Khrouf A
Ellwanger A → Bayer E
Endo T → Nomura R

Endo T → Wang J
Engel R → Schwach G

Fähnrich J → Ilavský M
Failla MD → Vega D
Feng J → Ding J
Fréchet JM → Havard JM
Freysz JL → Hamaide T
Fu S → Wang C

Galego N → Rozsa C
Galland GB → Mauler RS
Gandini A → Khrouf A
Ganesh K, Paramasivam S, Kishore K: Determination of end groups in poly(methylmethacrylate peroxide) by fast atom bombardment mass spectrometry and IR spectroscopy 785
García BL → Licea-Claveríe A
Garcia MEF, Nobrega R, Oliveira CMF: Polyacrylonitrile-graft-poly(ethylene oxide). 2. Membranes of polyacrylonitrile and polyacrylonitrile-graft-poly(ethylene oxide) blends for separation of water/ethanol mixtures by pervaporation 519
Garcia MEF, Nobrega R, Oliveira CMF: Polyacrylonitrile-graft-poly(ethylene oxide). 1. Synthesis and characterization of copolymers obtained in *N,N*-dimethyl formamide solution 437
Gargallo L, Opazo A, Radić D: Conformational transition in (maleic anhydride mono-*n*-octyl itaconate) copolymer 553
Geckeler KE → Pizarro G del C
Gensler R, Béguelin P, Plummer CJG, Kausch, H-H, Münstedt H: Tensile behaviour and fracture toughness of poly (ether ether ketone)/poly(ether imide) blends 111
Giurgiu D → Hamciuc V
Gnecco S Pooley A, Krause M: Epoxidation of low-molecular-weight *Euphorbia lactiflua* natural rubber with "in situ" formed performic acid 609
Goethals EJ → Libiszowski J
Goh SH, Lee SY, Tan LIK: Miscibility of poly-(1-vinylimidazole)/poly(p-vinylphenol) blends 253
Gomes AS → Martins JCA
Gomes AS → Novak KM
Gomes de Moraes, S → Peralta-Zamora, P
González G., M → Cárdenas T., G
Gonzalez, M → Rozsa, C
Guo, H, Wang, G, Weber, WP, Loker, KB, Loker, DP: Ruthenium catalyzed copolymerization of 2-acetylphenanthrene and α,ω-dienes. Direct synthesis of copolymers which regularly incorporate 2-aceto-1,3-phenanthrenylene units 423
Guo, H → Wang, G
Guo, W → Jiang, X
Guyot, A → Hamaide, T
Guyot, A → Lacroix-Desmazes, P

Hafiz HR: Aspects on the percolation and conduction behavior in polypyrrole-poly (vinyl chloride) composite 647
Hallensleben ML, Lucarelli F: Poly(styrene)s with oligo(ethylene oxide) side chains as catalysts for phase transfer reactions 759
Hallensleben ML, Lucarelli F: Poly(styrene)s with oligo(ethylene oxide) side chains as ionic conducting matrices 765
Hamaide T, Palix C, Freysz JL, Jacquier V, Spitz R, Guyot A: Towards a continuous process in heterogeneous coordinated anionic ring opening polymerization 313
Hamciuc V, Giurgiu D, Butuc E, Marcu M, Ionescu C, Pricop L: Synthesis of polysulfone block copolymers containing polydimethylsiloxane 329
Han TK, Yoon SC, Ko YS, Woo BW, Park JT, Woo SI: Propylene polymerization with unbridged *rac*- or *meso*-bis[1-(*p*-tolyl)indenyl]dichloro zirconium methylaluminoxane catalyst 35
Hasegawa K → Kakinoki K
Haucke G → Heinze T
Havard JM, Fréchet JM: Novel chemically amplified imaging materials containing malonate pendant groups 475
He J → Wang C
Heino M → Hietaoja P
Heinze T, Camacho Gómez JA, Haucke G: Synthesis and characterization of the novel cellulose derivative dansyl cellulose 743
Heuert U, Knörgen M, Menge H, Scheler G, Schneider H: New aspects of transversal ^{1}H-NMR relaxation in natural rubber vulcanizates 489
Hietaoja P, Heino M, Vainio T, Seppälä J: Compatibilization of PP/PBT and PP/PA6 blends with a new oxazoline-functionalized polypropylene 353
Hofsté JM, Smit HHG, Pennings AJ: Wear behaviour of discontinuous aramid fibre reinforced ultra-high molecular weight polyethylene 385
Holoubek J, Kotek J, Raab M: Light scattering by optically heterogeneous polymer systems: stress whitening in polypropylene materials 631
Hoshino H, Okada S, Urakawa H, Kajiwara K: Gelation of poly(vinyl alcohol) in dimethyl sulfoxide/water solvent 237
Howell BA, Priddy DB, Li IQ, Smith PB, Kastl PE: Synthesis and properties of 2,2,6,6-tetramethyl-1-(1-phenethyloxy)-piperidine, and initiator for living free radical styrene polymerization 451

Huang J, Yang Y, Yang B, Liu S, Shen J: Preparation and characterization of $Cu_2S/CdS/ZnS$ nanocomposite in polymeric networks 679
Huang J → Liu J

Ilavský M, Fähnrich J, Nedbal J, Bouchal K: Swelling and photoelastic behaviour of ionized hydrogels of poly(acrylic acid) 791
Ionescu C → Hamciuc V
Itoh T → Itoh Y
Itoh Y, Itoh T, Iwatsuki S, Kubo M: Synthesis of soluble poly(5-hexyloxybenzo[*c*]thiophene-1,3-diylvinylene) via the titanium-induced dicarbonyl-coupling reaction of 5-hexyloxybenzo[*c*]thiophene-1,3-dicarbaldehyde 155
Iwatsuki S → Itoh Y

Jacquier V → Hamaide T
Jansen P → Tavares MIB
Jeong HM → Ahn TO
Jiang K → Wang C
Jiang X, Guo W, Qi Z, Zhang S: Influence of chirality on phase behaviour of side chain liquid crystalline polymers 625
Jin S-H, Lee J-C, Park D-K: Surface alignment of ferroelectric liquid crystals using side chain ferroelectric liquid crystal polymer 799
Jung WH → Lee HS

Kajiwara K → Hoshino H
Kakinoki K Maeda, Y, Hasegawa K, Kitano H: Kinetics of association processes of D-fructose dehydrogenase onto liposome surfaces 407
Karger-Kocsis J: For what kind of polymer is the toughness assessment by the essential work concept straightforward? 119
Kastl PE → Howell BA
Kausch H-H → Gensler R
Kausch H-H → Lu F
Kausch H-H → Plummer CJG
Kawakami Y → Shintani K
Khrouf A, Boufi S, El Gharbi R, Belgacem NM, Gandini A: Polyesters bearing furan moieties. 1. Polytransesterification involving difuranic diesters and aliphatic diols 589
Kim J-B, Lim S-T: Soluble polystyrenes with pyrrole pendant groups and their electroactive properties 297
Kim J-B, Lim S-T: Surface conducting particles by oxidative copolymerization of pyrrole pendant groups and pyrrole in emulsion 321
Kim JH → Ahn TO
Kim WN → Lee HS
Kishore K → Ganesh K
Kitano H → Kakinoki K
Kniajansky S → Arias-Marín E
Knörgen M → Heuert U
Ko YS → Han TK
Kotek J → Holoubek J
Krause M → Gnecco S
Kubo M → Itoh Y
Kutubuddin M → Bayer E

Lacroix-Desmazes P, Guyot A: Reactive surfactants in heterophase polymerization. III. Poly(ethylene oxide) macromonomers and polymerizable surfactants (surfmers) as stabilizers in styrene dispersion polymerization 183
Ledezma-Pérez, A → Arias-Marín E
Lee HJ → Lim K-T
Lee HS Jung, WH, Kim WN: Thermal behavior and the determination of the polymer-polymer interaction parameter of polycarbonate and a thermotropic liquid crystalline polymer blends 503
Lee J-C → Jin S-H
Lee M, Oh N-K, Choi M-G: Thermotropic and lyotropic mesophase formation of poly(ethylene oxide) substituted rod-coil oligomer 511
Lee, SY → Goh SH
Leibler L → Abetz V
Li H → Ruckenstein E
Li IQ → Howell BA
Libiszowski J, Goethals EJ, Mijs WJ: Side chain liquid crystalline polyether macromonomers and their polymerization 7
Licea-Claveríe A, Rivero IA, García BL: Synthesis and regeneration of reactive polymers bearing triphenylphosphine dichloride functional groups using triphosgene 415
Lillo I → Rabagliati FM
Lim K-T, Lee HJ, Choi S-K: Synthesis of ABA triblock copolymers of *N*-substituted maleimides and methacrylates by group transfer polymerization 699
Lim, S-T → Kim J-B
Lima R → Olivares M
Liu J, Huang J, Qian Y, Wang F, Chan ASC: Syndiotactic polymerization of styrene with $CpTiCl_2(OPr^i)$/methylaluminoxane 719
Liu K → Chen L
Liu S → Huang J
Liu W-H → Chen Y-M
Liu XN → Bayer E
Loker DP → Guo H
Loker KB → Guo H
López-Valdivia H → Olivares M
Lu F, Plummer CJG, Cantwell WJ, Kausch H-H: Toughening mechanisms in modified epoxy resins with different crosslink densities 399
Lucarelli F → Hallensleben ML

Maeda Y → Kakinoki K
Mahesh GN, Philip TG, Radhakrishnan G: Polyurethane telechelic cationomers containing end functional 4-vinylpyridinium moieties 737
Marcu M → Hamciuc V
Mark JE → Mayer ABR
Mark JE → Pu Z
Martínez E → Olivares M
Martínez J → Rozsa C
Martínez R → Rozsa C
Martins JCA, Novack KM, Gomes AS: Thermotropic polyester: The influence of the spacer on physical properties. II 497
Martins JCA → Novak KM
Mattice WL → Sun J-S
Maturana HA → Rivas BL
Mauler RS, Galland GB, Scipioni RB, Quijada R: The effect of the ethylene pressure on its reaction with 1-hexene, 1-octene and 4-methyl-1-pentene 469
Mayer ABR, Mark JE: Polymer-protected colloidal platinum nanocatalysts 683
Meijer EW → van Aert HAM
Mello SDS → Coutinho FMB
Menge H → Heuert U
Mijs WJ → Libiszowski J
Miranda, E → Bucio, E
Mondragón MA → Olivares M
Mongeot H → Bonnetot B
Moon SW → Ahn TO
Moore CG, Brittain WJ: Synthesis of polycarbonate containing in-chain 4-*N*,*N*-dimethylamino-4′-nitrostilbene via ring-opening polymerization 573
Moreno, RA, Müller AJ, Sáez AE: Flow-induced degradation of hydrolyzed polyacrylamide in porous media 663
Mori A → Shintani K
Morimoto Y → Aoki S
Moszner N, Schöb W, Rheinberger V: Synthesis, characterization and thiol-ene polymerization of hydrolyzed/condensed norbornenyl silic acid ester 289
Moura PMQ → Coutinho FMB
Müller AJ → Moreno RA
Münstedt H → Gensler R

Naghash HJ, Okay O, Yagči Y: Size distribution of polymers during the photoinitiated free-radical copolymerization of methyl methacrylate and ethylene glycol dimethacrylate 207
Nedbal J → Ilavský M
Nigam S → Chatterjee SK
Nobrega R → Garcia MEF
Nomura, R Shibasaki Y, Endo T: Block copolymerization of tetrahydrofuran with δ-valerolactone by the samarium iodide-induced transformation 597
Nomura R → Wang J
Novack KM → Martins JCA
Novak KM, Martins JCA, Gomes AS: Block copolymers with poly(ethylene terephthalate) and liquid crystalline polyester segments: effect of reaction time 603

Özdemir I → Seçkin T
Ogawa T → Bucio E
Oh N-K → Lee M
Okada S → Hoshino H
Okan A, Serhatli IE, Yagči Y: Cationic polymerization of cyclohexene oxide initiated by a ternary system consisting of free radical photoinitiator, diphenyl acetylene and triphenylsulphonium salt 723
Okay O → Naghash HJ
Olivares M, López-Valdivia H, Vázquez-Polo G, Mondragón MA, Lima R, Martínez E, Castaño VM: FT-Raman analysis of the effects of γ-radiation on nylon 6–12 filaments 221
Oliveira CMF → Garcia MEF
Ooi O → Shintani K
Opazo A → Gargallo L
Ortiz P → Rozsa C

Palix C → Hamaide T
Paramasivam S → Ganesh K
Park D-K → Jin S-H
Park H-J, Chun BC: Effect of temperatures on the mechanical and morphological properties of polyphenylene sulfide composites 103
Park JT → Han TK
Peng YX, Shi WM: Cationic polymerization of 1,3-pentadiene with $(CH_3)_3SiCl/AlCl_3$ 149
Peniche-Covas C → Pérez-Gramatges A
Pennings AJ → Hofsté JM
Peralta-Zamora P, Gomes de Moraes S, Reyes J, Duran N: Heterogeneous photocatalysis treatment of Kraft and textile effluents using metallic and polymeric semiconductors (ZnO and polyaniline) 531
Pereira E → Rivas, BL
Pérez-Gramatges A, Argüelles-Monal W, Peniche-Covas C: Thermodynamics of complex formation of polyacrylic acid with poly(*N*-vinyl-2-pyrrolidone) and chitosan 127
Peric IM → Rivas BL
Philip TG → Mahesh GN
Pizarro G del C, Rivas BL, Geckeler KE: Metal complexing properties of water-soluble poly(*N*-maleyl glycine) studied by the liquid-phase polymer-based retention (LPR) technique 525

Plummer CJG, Kausch H-H: Lattice imaging of friction deposited PTFE films 393
Plummer CJG → Gensler R
Plummer CJG → Lu F
Pooley A → Gnecco S
Pricop L → Hamciuc V
Priddy DB → Howell BA
Pu Z, Mark JE: Mechanical properties of a poly(methyl acrylate) nanocomposite containing regularly-arranged silica particles 545

Qi Z → Jiang X
Qian Y → Liu J
Quijada R → Mauler RS
Quijada R → Rabagliati FM

Raab M → Holoubek J
Rabagliati FM, Aravena M, Lillo I, Ayal HA, Rivas BL, Canessa GS: Block copolymers. I. Poly(*p*-benzamide)-*b*-poly(propylene oxide) 345
Rabagliati FM, Quijada R, Cuevas MV, Terraza CA: Polymerization of styrene by diphenylzinc-additive systems. 4. Ph_2Zn-metallocene-MAO systems 13
Radhakrishnan G → Mahesh GN
Radhakrishnan G → Tharanikkarasu K
Radić D → Gargallo L
Rånby B → Yang WT
Rapta P, Bartl A, Dunsch L: Preparation of highly conducting and spin-probed polypyrroles using coupled electrochemical-chemical synthesis in the presence of nitroxyl radicals 751
Razafindrakoto V → Bonnetot B
Reyes J → Peralta-Zamora P
Rheinberger V → Moszner N
Rivas BL, Maturana HA, Peric IM, Pereira E: Dual sorption of metal-ions on a cross-linked resin of 2-acrylamidoglycolic acid and 4-vinylpyridine 191
Rivas BL, Seguel GV: Synthesis, characterization of poly(allylamine) chelates with Cu(II), Co(II) and Ni(II) 463
Rivas BL → Pizarro, G del C
Rivas BL → Rabagliati FM
Rivero IA → Licea-Claverie A
Romero J → Arias-Marín E
Rozsa C, Gonzalez M, Galego N, Ortiz P, Martínez J, Martínez R: Biosynthesis and characterization of poly(β-hydroxybutyrate) produced by *Bacillus circulans* 429
Ruckenstein E, Li H: Room temperature initiated and self-heating polymerization via concentrated emulsions: application to acrylonitrile based polymers 43
Ruckenstein E → Yuan Y

Sáez AE → Moreno RA
Scheler G → Heuert U
Schneider H → Heuert U
Schöb W → Moszner N
Schwach G, Coudane J, Engel R, Vert M: Zn lactate as initiator of DL-lactide ring opening polymerization and comparison with Sn octoate 771
Scipioni RB → Mauler RS
Seçkin T, Alici B, Çetinkaya E, Özdemir I: Synthesis and radical polymerization of novel vinyl monomers having the imidazoline and pyrimidine moiety 443
Seguel GV → Rivas, BL
Seppälä J → Hietaoja P
Serhatli IE → Okan A
Shen J → Huang J
Shen Y, Shen Z, Zhang Y: Highly active rare earth catalysts for the solution polymerization of ε-caprolactone 21
Shen Z → Shen Y
Shi WM → Peng YX
Shibasaki Y → Nomura R
Shintani K, Ooi O, Mori A, Kawakami Y: A facile synthesis of hydro- and vinyl-functionalized di- and tetrasiloxanes and polyaddition via hydrosilylation 705
Silva AS → Vivoni AM
Smit HHG → Hofsté JM
Smith PB → Howell BA
Soares BG → Tavares MIB
Soares BG → Vivoni AM
Soga K → Deng H
Spitz R → Hamaide T
Stadler R → Abetz V
Strumia M → Zamora M
Sun J-S, Mattice WL: Interaction of catechin with poly(L-proline) 691

Tadano K → Tsuchida S
Tallarek U → Bayer E
Tan LIK → Goh SH
Tavares MIB, Jansen P, Soares BG: Solid-state NMR study of natural rubber blended with EVA and EVA modified with mercaptoacetic acid 215
Terraza, CA → Rabagliati FM
Tharanikkarasu K, Radhakrishnan G: Polyurethane-polymethacrylic acid multi-block copolymers and their anionomers through „living" radical mechanism 711
Tlenkopatchev MA → Bucio E
Trumbo DL: An analysis of the ^{1}H- and ^{13}C-NMR spectra of poly(6-vinyl-1,4-benzodioxane) 59
Trumbo DL: An analysis of the ^{1}H- and ^{13}C-NMR spectra of poly(5-vinyl-1,3-benzodioxole) 67
Trumbo DL: Copolymerization of 2,5-dimethyl-3-vinylthiophene with methyl methacrylate styrene and isobutyl methacrylate 457

Trumbo DL: Copolymerization of 3-methylene-*p*-menth-4(8)-ene with itaconic and maleic anhydrides 161
Trumbo DL: Preliminary analysis of the ^{1}H- and ^{13}C-NMR spectra of poly(3-vinyl-1-methylindole) 75
Trumbo DL: Preliminary analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly-(4acetoxystyrene) 617
Trumbo DL: Preliminary analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly(2,5-dimethyl-3-vinylfuran) 81
Tsuchida S, Tadano K, Yano S: Effect of branched alkyl groups on physical properties in poly(ethylene-*co*-branched alkyl methacrylate)s 97

Urakawa H → Hoshino H

Vainio T → Hietaoja P
Vallés EM → Vega D
van Aert HAM, van Genderen MHP, Meijer EW: Star-shaped poly(2,6-dimethyl-1,4-phenylene ether) 273
van Genderen MHP → van Aert HAM
Vázquez-Polo G → Olivares M
Vega D, Villar MA, Failla MD, Vallés EM: Thermogravimetric analysis of starch-based biodegradable blends 229
Vert M → Schwach G
Villar MA → Vega D
Vivoni AM, Silva AS, Soares BG: Cationic polymerization of styrene and indene in iodine/liquid sulfur dioxide system 729

Wang C-H, Chen L-W: Miscibility and mechanical properties of aryl-aliphatic polyamides/nylon 6 molecular composites 369
Wang C, He J, Fu S, Jiang K, Cheng H, Wang M: Synthesis and characterization of the narrow polydispersity fullerene-end-capped polystyrene 305
Wang F → Liu J
Wang G, Guo H, Weber WP: Synthesis and characterization of novel crown ether containing copolymers Ru catalyzed copolymerization of 4′-acetylbenzocrown ethers with α,ω-dienes 169
Wang G → Guo HWang J, Nomura R, Endo T: One-pot reactions of samarium poly(oxamide) polyanion with various electrophilic reagents 281
Wang M → Wang C
Weber WP → Guo H
Weber WP → Wang G
Wen J, Wilkes GL: Surface modification of ethylene-vinyl alcohol (EVOH) copolymer films by the attachment of triethoxysilane functionality 51
Wilkes GL → Wen J
Woo BW → Han TK
Woo SI → Han TK

Xi F → Chen Y-M

Yağci Y → Naghash HJ
Yağci Y → Okan A
Yang B → Huang J
Yang C-Z → Chen L
Yang WT, Rånby B: The role of far UV radiation in the photografting process 89
Yang Y → Ding J
Yang Y → Huang J
Yano S → Tsuchida S
Yoon SC → Han TK
Yuan Y, Ruckenstein E: Colloidal scale blend of rigid and flexible polyamides 671

Zamora M, Strumia M, Bertorello H: Preparation of new gels derived from poly(sucrose acrylate) with immobilized Cibacron Blue and their application in affinity chromatography 483
Zhang S → Jiang X
Zhang Y → Shen Y

Indexed in Current Contents

Subject Index

AB-diblock 135
ABA-triblock 699
ABC-triblock, order-order transitions 135
2-Aceto-1,3-phenanthrenylene 423
Acetonitrile 297
4′-Acetylbenzocrown ethers 169
2-Acetylphenanthrene 423
2-Acrylamidoglycolic acid/4-vinylpyridine 191
Acrylonitrile based polymers 43
Acrylonitrile-(ethylene oxide) 437
Adipic acid/2,6-naphthalene dicarboxylic acid 369
Affinity chromatogarphy 483
AIBN 443
Albumin 483
Alkyl methacrylates 97
Alkyldimethylamines 655
Alkylsamarium 597
p-Aminoacetophenone 581
p-Aminophenol 265
p-Aminophenylmethycarbinol 581

Ammonium monomers, micelle-forming quaternary 777
Aniline derivatives, functional 581
Anionic ring opening polymerization, heterogeneous coordinated 313
Anionomers 711
-, urethane-based 1
Antibacterial activity 443
Aramid fiber, discontinuous 385
Azoisobutylonitrile 443

Bacillus circulans, poly(-hydroxybutyrate) 429
Benzocrown ethers 169
Benzophenone 89
Benzo[*c*]thiophene) 155
Benzoyldimethylketal 89
Bicyclo[2.2.1]hept-2-ene-5-yl (norborn-2-ene-5-yl) 289
Biodegradable blends, starch-based 229
Biomembranes 407
rac-/*meso*-Bis[1-(*p*-tolyl)indenyl]dichlorozirconium/methylaluminoxane catalyst 35
[1,5-Bis(trimethylsilyloxy)-1,5-dimethoxy-1,4-pentadiene] 699
Bis(4-vinylbenzyl)-1,4,5,6-tetrahydropyrimidinium salts 443
Bleaching 531
Blood plasma 483
BMA 699
Borane 655
Boron trifluoride 655
- -/diethyl ether 143
2-Bromoethanol 737
1,4-Butanedioldiglycidyl ether 723
Butyl methacrylate 15, 699
t-Butylmalonate 475
Butylsamarium 597
γ-Butyrolactone 21

ε-Caprolactone 21, 313
Carbon black 489
Carbonate, macrocyclic 573
Castor oil, PE stress-cracking resistance 259
Catalysts, polymeric 759
Catechin/poly(L-proline) 691
Cationomers 1
-, polyurethane telechelic 737
Cellulose, novel 743
Chitosan 127
Chloromethyl styrene/styrene 337
Chloromethylstyrene 443
p-Chlorophenol 265
Chlorosilane 705
Chromatography, pseudoaffinity 483
Chrome salts 531
Chromophore 573
Cibacron Blue 483
clean technology 531
Colloidal suspensions 671
Colloids 683
Comb polymers 639
Compatibilizer, polypropylene-based 353
Composites, molecular 369
Conducting matrices, ionic 765
Copoly(4,4′-diaminobenzanilide-adipamide/2,6-naphthalamide) 369
Core-shell rubber 399
$CpTiCl_2(OPr^i)$/methylaluminoxane 719
Crack-tip deformation 399
p-Cresol 265
Crown ether 169
$Cu_2S/CdS/ZnS$ 679
Curing agents, catalytic 655
Cyclohexene oxide 723

Dansyl cellulose 743
Degradation, flow-induced 663
-, mechanical 663
Dendrimers 273, 557
Dibutyltin dilaurate 51
Di-*t*-butyl(vinylbenzyl)benzylmalonate 475
Dicarboxylic acid 361
p-Dichlorobenzene/sodium sulfide 103
4,4′-Dicyclohexylmethane diisocyanate 1
-, -Dienes 423
Diesters, difuranic 589
Diffusion-oxidative polymerization 647
Dihydridocarbonyltris(triphenylphosphine)-ruthenium 169
3,4-Dihydro-2H-pyran 143
3,5-Di(4-hydroxyphenoxy)benzyl alcohol 557
Di(methy)acrylates, photopolymerization kinetics 199
Dimethyl acetamide 671
N,*N*-Dimethyl formamide 437
2,5-Dimethyl-3-vinylfuran 81
2,5-Dimethyl-3-vinylthiophene 457
5-Dimethylamino-1-naphthalenesulfonyl chloride 743
N-(5-Dimethylamino-1-naphthalenesulfonyl)-L-α-dimyristoylphosphatidylethanolamide 407
4-*N*,*N*-Dimethylamino-4′-nitrostilbene 573
N,*N*-Dimethylaminopyridine 743
Dimethylformamide 253, 297
Dimethylol propionic acid 1
L-α-Dimyristoylphosphatidylcholine 407
3,5-Diphenoxybenzyl bromide 577
Diphenyl acetylene 723
4,4′-Diphenylmethane diisocyanate 361
Diphenyl-2,4,6-trimethylbenzoylphosphine oxide 207
Diphenylzinc 13
Disiloxanes, hydro-/vinyl-functionalized 705
Dispersion polymerization 183
Divinylbenzene 415
1,3-Divinyltetramethyldisiloxane 169, 423
Drug delivery devices 143

DVB 415
Dynamic light scattering 273

Electrolytes, comb polymer 639
Environmental stress cracking 259
Enzyme-catalyzed polymerization 581
Epoxides, mesogenic 7
Epoxy homopolymerization 655
Epoxy resins 655
- -, toughening mechanism 399
1,2-Epoxy-3-phenoxypropane 281
Escherichia coli 443
Essential work of fracture 119
Ethyl benzoate 29
Ethylene/ -olefins 469
-/vinyl alcohol films 51
Ethylene glycol dimethacrylate 207, 791
Ethylene oxide 313
Euphorbia lactiflua 609
EVA 215
EVASH 215

FABMS 785
Failure 259
Fast Atom Bombardment Mass Spectrometry 785
Ferroelectric liquid crystals 799
Ferrous sulfate 43
Fiber-reinforced plastics 221
Fracture 103, 111, 119
- toughness 111
Fréchet convergent approach 557
D-Fructose dehydrogenase 407
Fullerene-end-capped polystyrene, polydispersity 305
Furan moieties, polyesters bearing 589

Gel permeation chromatography 1
Gelation, PVA 237
Glass fiber/PPS composites 103
Group transfer polymerization 699

Haloboranes 655
Heavy metal ions, polychelates 463
Hedeoma oil 161
Hexachloroplatinic acid 683
Hexamethylcyclotrisiloxane 705
1-Hexene, ethylene 469
N-Hexylmaleimide 699
5-Hexyloxybenzo[c]thiophene-1,3-dicarbaldehyde 155
Horseradish peroxidase 581
Hydroquinone 497
Hydrosilylation 705
Hydroxycyclohexyl phenyl ketone 89
Hydroxyethyl methacrylate/BF^3 7
Hydroxypropyl cellulose, air bubbles 245

Imaging materials, chemically amplified 475
Imidazole 443
Indene, cationic polymerization 729
Iniferter 711
Initiating system, vinyl-cation based 723
Initiation 149
Initiator, iodine/liquid sulfur dioxide 729
Interpolymer complexes 127, 265
Iodine/liquid sulfur dioxide 729
Ion conductors, solid phase 765
Ionomers 1, 737
Isobutyl methacrylate 457
3-Isocyanatopropyltriethoxysilane 51
Itaconic/maleic anhydrides 161

Jets, opposed 663

Kraft effluent 531
Kubelka-Munk theory 631

DL-Lactide ring opening polymerization 771
Lattice imaging 393
LCP 245, 603
-, phase behavior 625
-, thermotropic 503
$LiCF_3SO_3$ 511
Light scattering 631
Liposome surfaces 407
Liquid crystal polymer, side chain ferroelectric 799
Liquid-phase polymer-based retention 525
Lithiumperchlorate 765
LPR 525

Magic angle spinning 215
Maleic anhydride-*co*-mono-*n*-octyl itaconate 553
Maleimides, *N*-substituted 699
N-Maleyl glycine 525
Malonates 475
MAO 719
Membrane filtration 525
Membrane separation 519
Mercaptoacetic acid 215
Metal colloids 683
Metal ions, dual sorption 191
Metal particles/polyurethane 377
Metal poly(styrene-*co*-butyl methacrylate) 175
Metal polymers 175
Metal sulfide composites 679
Metal-polymer catalyst systems 683
Metallocene catalysts 29
- complex, novel unbridged 35
Metallocenes 13, 469
Methacrylates, N-substituted 699
Methacrylic end groups 7
Methyl methacrylate 29, 457, 699
- -/ethylene glycol dimethacrylate 207

Methyl trifluoromethanesulfonate 281
Methyl vinyl ether/maleic anhydride 639
Methylaluminoxane 13, 35, 719
N,N'-Methylene-bis-acrylamide 191
3-Methylene-*p*-menth-4(8)-ene, itaconic/maleic anhydrides 161
1-Methylindole-3-carboxaldehyde 75
4-Methyl-1-pentene, ethylene 469
Micelle-forming monomers 777
MMA 699
-/EGDM, photoinitiated 207
Monocomposite materials 175
Monomers, micelle-forming 777
Multi-aryl ethers 557

Nanocatalysts, colloidal platinum 683
Nanocomposites 545
-, multi-semiconductor 679
Natural rubber 215
- -, epoxidation 609
Natural rubber vulcanizates, transversal ^{1}H-NMR relaxation 489
NLO chromophore 573
NMR, solid-state, natural rubber 215
Norbornene 539
Norbornenyl silic acid ester, hydrolyzed/condensed 289
NR/EVASH 215
Nylon 6 369
Nylon 6(3)T 671
Nylon 6-12, -radiation 221

1-Octene, ethylene 469
Oligo(ethylene oxide) 759, 765
Oligo-oxyethylene 639
Onium salts 723
Organic-inorganic hybrid materials 545
Oxazolidone 655
2,2'-Oxybisethanol diacrylate 199

PA6 353
PAB 671
PAN 437
PAN-graft-PEO 519
Paper/cellulose industry 531
PBT 353
PC 503
PC-LCP 503
PD 149
PDMS 553
PEEK 111
PEI 111
Pennyroyal 161
Pentadiene, $(CH_3)_3SiCl/AlCl_3$ 149
PEO 437, 511, 519
Performic acid 609
Peroxidase 581
Pervaporation 519
PET 603
Ph^2Zn-metallocene-MAO systems 13
PHA 429
Phase behavior, chirality 625
Phase transfer catalysis 759
PHB 429
Phenanthrene 423
Phenolic copolymers/polyelectrolytes 265
N-Phenylmaleimide 699
Phosphine 415
Photoacid generator 475
Photocatalysis 531
Photoconductivity 305
Photografting, far UV radiation 89
Photoinitiation, free radical 723
Platinum nanocatalysts, colloidal 683
Plug flow reactor, continuous 313
PMA 545
PMMAP 785
PMOI 553
Poly(2-acetoxymethyl-3,4-dihydro-2H-pyran) 143
Poly(4-acetooxystyrene), ^{1}H-/^{13}C-NMR 617
Poly(acrylic acid), ionized hydrogels 791
Poly(allylamine) chelates 463
Poly(*p*-aminobenzoic acid) 671
Poly(arylenevinylene)s 155
Poly(*p*-benzamide)-*b*-poly(propylene oxide) 345
Poly(benzo[*c*]thiophene) 155
Poly(-caprolactone) 21
Poly(2,6-dimethyl-1,4-phenylene ether), star-shaped 273
Poly(dimethylsiloxane) 553
Poly(2,5-dimethyl-3-vinylfuran), ^{1}H-/^{13}C-NMR 81
Poly(DL-lactide) 771
Poly(ether ether ketone)/poly(ether imide) 111
Poly(ether imide) 111
Poly(ethylene glycol) 565
Poly(ethylene imine) 265
-, polystyrene-immobilized 565
Poly(ethylene oxide) 183, 437, 511
Poly(ethylene terephthalate)/LC polyester 603
Poly(ethylene-*co*-branched alkyl methacrylate)s, alkyl groups 97
Poly(ethylene-*co*-vinyl alcohol) 229
Poly(5-hexyloxybenzo[c]thiophene-1,3-diyl-vinylene) 155
Poly(-hydroxyalcanoate) 429
Poly(-hydroxybutyrate) 429
Poly(-hydroxy-L-proline) 691
Poly(4-hydroxystyrene) 617
Poly(*N*-maleyl glycine) 525
Poly(methacrylic acid) 265
Poly(methyl acrylate) nanocomposite 545
Poly(methylmethacrylate peroxide) 785
Poly(mono-*n*-octylitaconate) 553
Poly(oxamide)s 281

Poly(L-proline) 691
Poly(propylene imine) dendrimers 273
Poly(propylene oxide) 1, 345
Poly(styrene)s, oligo(ethylene oxide) side chains 759, 765
Poly(styrene-*co*-(*p*-vinylbenzyl 4-(3-pyrrolyl)-4-oxobutyrate)) 321
Poly(styrene-*co*-butyl methacrylate) 175
Poly(sucrose acrylate) 483
Poly(tetrafluoroethylene) 393
Poly(THF) 597
Poly(vinyl alcohol), dimethyl sulfoxide/water 237
Poly(5-vinyl-1,3-benzodioxane), ^{1}H-/^{13}C-NMR 67
Poly(6-vinyl-1,4-benzodioxane), ^{1}H-/^{13}C-NMR 59
Poly(vinyl chloride)/polypyrrole 647
Poly(1-vinylimidazole)/poly(*p*-vinylphenol) 253
Poly(3-vinyl-1-methylindole), ^{1}H-/^{13}C-NMR 75
Poly(*p*-vinylphenol) 253
Poly(vinylpyrrolidone) 691
Poly(*N*-vinyl-2-pyrrolidone) 127
Poly{methyl 4-[[[S-(-)-2-methyl-1-butoxy]carbonyl] phenyl]4'-hexyloxybenzoyl}siloxane 799
Polyacrylamide, hydrolyzed 663
Polyacrylates, chiral side chain LC 625
Polyacrylic acid 127
Polyacrylonitrile-graft-poly(ethylene oxide) 437, 519
Polyamide-6,6, aromatic polyamides 361
Polyamides 221, 345
-, aryl-aliphatic/nylon 6 369
-, rigid/flexible 671
Polyaniline 531
Polycarbonate 503, 573
Polychelates, heavy metal ions 463
Polychelatogen 525
Polychloromethylstyrene 337
Polydimethylsiloxane 329
Polydispersity 337
Polyelectrolyte gels 791
Polyelectrolytes 683
-/phenolic copolymers 265
Polyester, furanic 589
-, thermotropic 497, 603
Polyether macromonomers, side chain liquid crystalline 7
Polyethers, dendritic 557
Polyethylene 469
-, low density 89
-, UHMW 385
Polyethylene sheets, stress-cracking resistance 259
Polyethyleneterephthalate 89
Polyimide 799
cis-1,4-Polyisoprene 609
Polymer/salt mixtures 765
Polymer electrolytes 639
Polymer matrices, conducting 765
Polymethacrylic acid/polyurethane multi-block 711
PolyNB 539
Polynorbornene, gamma-ray induced cross-linking 539
Polyolefins 353
Polyorganosiloxanes 329
Polyphenylene sulfide composites, temperatures 103
Polypropylene, isotactic 29
-, oxazoline-functionalized 353
-, stress whitening 631
-, syndiotactic-dominant 35
Polypyrrole/poly(vinyl chloride), percolation/conduction 647
Polypyrroles, conducting/spin-probed 751
Polysiloxanes 289
Polystyrene 13, 67, 273, 305, 617, 719
-, fullerene-end-capped 305
-, pyrrole pendant groups 297
Polystyrene-based graft copolymer 565
Polysulfone block copolymers, polydimethylsiloxane 329
Polytransesterification 589
Polyurethane, coordination, metal particles 377
-, dispersed in water 1
- /polymethacrylic acid multi-block 711
- telechelic cationomers 737
Polyvinyl heterocycles 75, 617
Porous media 663
PP/PA6 353
-/PBT 353
PPO 345
PPS/glass fiber composites 103
PPY-PVC 647
Propylene polymerization 35
-, zirconocene catalysts 29
Protein isolation 483
PS-PEG 565
Pseudoaffinity chromatography 483
PSU-PDMS 329
PTFE 393
- films, friction deposted 393
Pugelone 161
Pulping 531
PVI 253
PVPh 253
Pyrrole 751
-/pyrrole pendant groups 321

Radical polymerization, controlled 337
Random phase approximation 135
Rare earth catalysts, ε-caprolactone 21

Reactive polymers 415
Reinforcement 545
Retention, inorganic ions 525
Rod-coil oligomer, poly(ethylene oxide) 511
Rubber, natural, epoxidation 609

Samarium iodide 281, 597
Samarium poly(oxamide) polyanion 281
SCFLCP 799
Self-heating polymerization 43
Semiconductor nanocomposites 679
Semiconductors 475, 531
Serum 483
Silic acid 289
Silica 545
Sn octoate 771
Sodium metabisulfite 43
Star polymers 273
Starch-based biodegradable blends 229
Stress whitening, polypropylene 631
Stress-cracking 259
Styrene 457
-, cationic polymerization 729
-, diphenylzinc-additive system 13
- dispersion polymerization 183
- polymerization, living free radical 451
-, syndiotactic polymerization 13, 719
Styrene-*co*-butyl methacrylate colloids 175
Styrenic polymers, 3-substituted pendant pyrrole rings 297
Sulfur-containing monomers 199
Surfactants, reactive 183
Surfmers 183
Syndispecificity 719

Tannins, condensed 691
TEMPO 337, 451, 711
TEMPOL 305, 751
Tensile behavior 111
Terephthalic acid 497
Tetrahydrofuran, block copolymerization 597
Tetrahydropyrimidinium salts 443
Tetramethoxysilane 51
2,2,6,6-Tetramethyl-4-hydroxy-1-oxy-piperidyl (TEMPOL) 751
2,2,6,6-Tetramethyl-1(1-phenethyloxy)piperidine 451
Tetraphenylethane 711
Tetrasiloxanes, hydro-/vinyl-functionalized 705
Textile effluents 531
Thermogravimetric analysis 229
Thermooptical microscopy, crystalline polyesters 497
THF 597
2,2′-Thiobisethanol diacrylate 199
Thiol-ene polymerization 289
Titanium-induced dicarbonyl-coupling reaction 155
TMPEP 451
Tolylene 2,6-diisocyanate 281
Toughness assessment 119
Transesterification 589
1,3,5-Tri(4-hydroxyphenoxy)benzene 557
Triethoxysilane functionality 51
Trihalothiocyanato borane 655
Triisothiocyanato borane 655
2-(1′,3′,3′-Trimethylbutyl)-5,7,7-trimethyloctyl 97
Trimethylsilyl chloride 149
Triphenylphosphine dichloride 415
Triphenylsulphonium salt 723
Triphosgene 415
Turbidity, spectral dependence 631

UHMWPE, wear rate 385

δ-Valerolactone 597
Vapour pressure osmometry 1
Vinyl acetate/ethylene 51
Vinyl alcohol 51
Vinyl heterocycles 59, 67, 75, 81, 457
Vinyl monomers, imidazoline/pyrimidine 443
Vinyl polyperoxide 785
Vinyl thiophene 457
5-Vinyl-1,3-benzodioxane 67
6-Vinyl-1,4-benzodioxane 59
Vinylbenzene monomers 443
p-Vinylbenzyl 4-(3-pyrrolyl)-4-oxobutyrate)) 321
3-Vinylfuran 81
Vinylidene chloride 43
(4-Vinylphenyl)lithium 705
5-(*p*-Vinylphenyl)pentyltrimethylammonium bromide 777
4-Vinylpyridine 191
4-Vinylpyridinium, end functional, polyurethane 737
Vogel-Tammann-Fulcher equation 639
Vulcanizates, natural rubber 489

Water/ethanol, separation 519

Zero discharge 531
Zn lactate 771
ZnO 531
Zwitterionomers 1